







Technical specification	3
Single electric frames	4
Double electric frames	6
Corner electric frames	8
CDR ER Space saving frame	10
Crank system frames	12
Modern frames	14
Compact home workplace	16
Complementary elements	18
Panels	20
Workshop tables	22
Workshop accessories	24



Basic parameters

Frame	Steel, powder coated
Recommended table sizes	D 600 or 800 / W 1200 – 2000 (D 800 / W 1800)*
Power	230V AC, 300W, (600W)*, standby consumption 0,3W
Speed	40mm/s, Super Soft-Start-Stop
Drive	Two or three, (four)* synchronised motors with microprocessor control, thermal sensor
Control panel	Up/down control panel included as a standard (+ 4 positions memory height display)* MP4 included in the corner frames
Noise level	< 50 dB
Lifting power	100 kg (250 kg)* (distributed load)
Intelligent System	Protection anti-collssion system
Adjustable feet	50Ø
Standards	ISO 21016, EN 527-1
Directives	2006/95EC, UL 508:1999, UL 1004 R705:1994, WE DC 2004/108/WE
Frame colour options	Black RAL 9005 (similar) Anthracite RAL 7043 (similar) Aluminum* RAL 9006 (similar) White RAL 9010 (similar)

Dimensions (mm): Width – W / Height – H / Depth –D

*(workshop tables)

Single electric frames



Flexi Frame 500		Master 600	
FSL500	FSL506	FSL650	FSL656
W 1160 – 1960	W 1160 – 1960	W 1160 – 1960	W 1160 – 1960
H 680 – 1180	H 680 – 1180	H 620 – 1270	H 620 – 1270
D 800	D 600	D 800	D 600
Feet 750 × 70 × 26 with level adjustment	Feet 590 × 70 × 26 with level adjustment	Feet 750 × 70 × 26 with level adjustment	Feet 590 × 70 × 26 with level adjustment

Double electric frames



Flexi bench		Flexi bench	
FBL506	FBL508	FBL656	FBL658
W 1160 – 1960	W 1160 – 1960	W 1160 – 1960	W 1160 – 1960
H 680 – 1180	H 680 – 1180	H 620 – 1270	H 620 – 1270
D 600	D 800	D 600	D 800

Corner electric frames

MP4 included



Flexi Corner		Master Corner	
FCL500	FCL506	FCL650	FCL656
W 1580 – 2000 (table 1) W 850 – 1200 (table 2)	W 1580 – 2000 (table 1) W 1000 – 1200 (table 2)	W 1580 – 2000 (table 1) W 850 – 1200 (table 2)	W 1450 – 2000 (table 1) W 1000 – 1200 (table 2)
H 680 – 1180	H 680 – 1180	H 620 – 1270	H 620 – 1270
D 800	D 600	D 800	D 600
Feet 750 × 70 × 26	Feet 590 × 70 × 26	Feet 750 × 70 × 26	Feet 590 × 70 × 26

CDR ER Space saving frame



Compact

CDR60ER	CDR62ER	CDR64ER
W 962	W 1162	W 1362
H 557 – 1207	H 557 – 1207	H 557 – 1207
D 600/700	D 600/700	D 600/700
Feet 590 × 70 × 37 (only on the right hand side leg)		

Crank system frames



Revolve		Revolve Bench	
FSK350	FSK356	FBK356	FBK358
W 1160 – 1960	W 1160 – 1960	W 1160 – 1960	W 1160 – 1960
H 620 – 970	H 620 – 970	H 620 – 970	H 620 – 970
D 800	D 600	D 600	D 800
Feet 750 × 70 × 26 with level adjustment	Feet 590 × 70 × 26 with level adjustment		

Modern frames



Modern Frame

FH715-75	FH715-60
W 1160 – 1960	W 1160 – 1960
H 710	H 710
D 800	D 600
Feet 750 × 70 × 26	Feet 590 × 70 × 26

Compact home workplace



Compact home workplace

FSL581	FSL581T with top	FSL581W with wheels	FSL581TW with top and wheels
W 800	W 800	W 800	W 800
H 650 – 1300	H 650 – 1300	H 650 – 1300	H 650 – 1300
D 600	D 600	D 600	D 600

Complementary elements



Hover CPU holder

W 212 × H 460 × D 600

Colours: white, aluminum, black, anthracite



Ladder Cable tray

W 470 × H 62 × D 34

Colours: white, aluminum, black, anthracite




Barrette Cable tray

W 1000 × H 70 × D 35

Colours: aluminum



Genius BT



Bridge Cable manager

SOD12ER – W 1200	SOD18ER – W 1800
SOD14ER – W 1400	SOD20ER – W 2000
SOD16ER – W 1600	

Colours: aluminum



Bridge Cable manager

SOD12Z – W 1200	SOD18Z – W 1800
SOD14Z – W 1400	SOD20Z – W 2000
SOD16Z – W 1600	

Colours: white, aluminum, black, anthracite



Magic Control

Colours: black



Simple Control Panel

Colours: white, aluminum, black, anthracite

Panels



ZIB acoustic screens

Panels for double desks

- ZIB126 – W 1390 × H 650
- ZIB146 – W 1390 × H 650
- ZIB166 – W 1590 × H 650
- ZIB186 – W 1790 × H 650
- ZIB206 – W 1990 × H 650
- ZIB128 – W 1190 × H 800

- ZIB148 – W 1390 × H 800
- ZIB168 – W 1590 × H 800
- ZIB188 – W 1790 × H 800
- ZIB208 – W 1990 × H 800



ZIS

Free standing panels

- ZIS126 – W 650 × H 1250
- ZIS146 – W 650 × H 1450
- ZIS166 – W 650 × H 1650
- ZIS186 – W 650 × H 1850
- ZIS128 – W 800 × H 1250
- ZIS148 – W 800 × H 1450
- ZIS168 – W 800 × H 1650
- ZIS188 – W 800 × H 1850



ZIS

Panels Connectors

ZIS1 / ZIS2 / ZIS3 / ZIS4

Colours: white, aluminum, black, anthracite



ZIP

Panels for single desks

- ZIP126 – W 1190 × H 650
- ZIP146 – W 1390 × H 650
- ZIP166 – W 1590 × H 650
- ZIP186 – W 1790 × H 650
- ZIP206 – W 1990 × H 650
- ZIP128 – W 1190 × H 800



- ZIP148 – W 1390 × H 800
- ZIP168 – W 1590 × H 800
- ZIP188 – W 1790 × H 800
- ZIP208 – W 1990 × H 800
- ZIP806 – W 800 × H 650

Workshop tables



WTRO1 Electrically adjustable frame

W 1800

H 700 (base)
H 700 (minimum)
H 1200 (maximum)
H 1466 (+500) (with profiles)
H 1780 (+500) (with lightning panel)

D 800

WTS02 Manually adjustable frame

W 1800

H 740 (base)
H 640 (minimum)
H 860 (maximum)
H 1505,5 (with profiles)
H 1820,5 (with lightning panel)

D 800

Workshop acesories



SPEC RAIL Rail for paper (bottom)




SPEC RAIL Rail for paper (upper)



PRO RAIL Rail for containers




LUMI PANEL Lighting panel



**SMART
SHELF**
Shelf with dividers



**FLEX
DISPLAY**
Monitor holder



VERT PRO
Vertical profile (2 pcs.)

